

HUUM sauna heaters, controllers and accessories





MADE WITH CARE IN ESTONIA


HUUM products are made of stainless steel and go through a long and carefully supervised production process to guarantee the best quality of each product.

#huumsauna

www.huum.eu

TABLE OF **CONTENTS**

Electrical heaters	5
DROP	6
Accessories	8
HIVE	10
HIVE Mini	12
Accessories	14
CLIFF	18
STEEL	2
Accessories	2
CORE	2
Wood burning sauna stoves	2
HIVE Wood	2
HIVE Heat	3
Accessories	32
Sauna controllers	3
UKU	38
Stones	4



ELECTRICAL HEATERS








reddot award 2015 honourable mention

DROP



HEATER	DROP 4	DROP 6	DROP 9
POWER	4,5 kW	6 kW	8,5 kW
SAUNA ROOM	$3-7 \text{ m}^3$	5-10 m ³	8-15 m ³
STONE CAPACITY	55 kg	55 kg	55 kg
WEIGHT	11 kg	11 kg	12 kg
HEIGHT	590 mm	590 mm	590 mm
WIDTH	390 mm	390 mm	390 mm
DEPTH	335 mm	335 mm	335 mm
SAFETY DISTANCE			
A	100 mm	120 mm	150 mm

B 590 mm 630 mm C 435 mm 455 mm


CONNECTION

SUPPLY VOLTAGE 3-PHASE	3/N~400 V	3/N~400 V	3/N~400 V
FUSE	10 A	10 A	16 A
CABLE (N x mm ²)	5 x 1,5	5 x 1,5	$5 \times 2,5$

690 mm

485 mm





DROP electric heater is inspired by the purest element of nature - a drop of water. DROP's round design softens and enlivens the interior of the sauna, adding elegance to the steam room. Apart from good looks, DROP has other outstanding features. The compact wall-mounted heater holds up to 55 kg of stones, outperforming even some wood burning sauna stovesand ensuring **long-lasting steam**.

DROP is compatible with the WiFi-capable control system UKU, so that you can conveniently heat the sauna in the phone application, while you are still on the hiking trail or at the end of a long day at work.

THE SET INCLUDES:

- electric sauna heater
- wall mounted plate
- 9 kW DROP heater includes a heat guiding device

REQUIRES ALSO:

- UKU sauna control system
- heat-resistant power cable

- safety railing
- embedding flange





SAFETY RAILING

Safety railing for DROP heaters helps protect you from accidentally touching against the hot heater. The safety railing consists of light-colored wooden arcs, and stainless steel supports to attach them to the heater. The railing provides extra safety, but it is also an excellent way to style your heater.

SIMPLE AND QUICK INSTALLATION

Connect wooden arches to the support with four screws to form a complete railing.








EMBEDDING FLANGE

The embedding flange is useful when you plan to install your heater partly inside the sauna bench. It is made of stainless steel, and it covers up the wooden edges around the heater, leaving the final result looking refined and smooth.






HIVE



HEATER	HIVE 12	HIVE 15	HIVE 18
POWER SAUNA ROOM STONE CAPACITY WEIGHT HEIGHT	12 kW 12 -25 m ³ 270 kg 20 kg 750 mm	15 kW 15 -30 m ³ 270 kg 21 kg 750 mm	18 kW 18-35 m ³ 270 kg 22 kg 750 mm
DIAMETER SAFETY DISTANCE	560 mm	560 mm	560 mm
A B CONNECTION	120 mm 800 mm	150 mm 860 mm	180 mm 920 mm
SUPPLY VOLTAGE 3-PHASE FUSE CABLE (N x mm²)	3/N~400 V 20 A 5 x 4	3/N~400 V 25 A 5 x 4	3/N~400 V 32 A 5 x 6





HIVE electric heater is an elegant solution for larger saunas and a suitable choice for spas and sports clubs. The amount of heater stones is imposingly large, reaching up to 270 kg. In this way there will be long-lasting and hot steam even for a larger group who wants to enjoy sauna without haste. The round shape of the heater imitates a wild bee hive and brings the group together.

HIVE is compatible with the WiFi-capable control system UKU.

THE SET INCLUDES:

- electric sauna heater
- adjustable legs

REQUIRES ALSO:


- UKU sauna control system
- stones (5-10 cm)
- heat-resistant power cable

- air tunnel
- embedding flange
- reflector
- safety railing





HIVE Mini



HEATER	HIVE Mini 6	HIVE Mini 9	HIVE Mini 11
POWER SAUNA ROOM STONE CAPACITY WEIGHT HEIGHT DIAMETER	6 kW	9 kW	10,5 kW
	5-9 m³	8-15 m ³	10-20 m ³
	170 kg	170 kg	170 kg
	14 kg	16 kg	16 kg
	750 mm	750 mm	750 mm
	460 mm	460 mm	460 mm
SAFETY DISTANCE			
A	60 mm	90 mm	110 mm
B	580 mm	640 mm	680 mm
CONNECTION			
SUPPLY VOLTAGE 3-PHASE	3/N~400 V	3/N~400 V	3/N~400 V
FUSE	10 A	16 A	16 A
CABLE (N x mm²)	5 x 2,5	5 x 2,5	5 x 2,5





HIVE Mini electric heater is a slimmer version of the HIVE heater. The heater holds 170 kg of stones and is suitable for smaller saunas, but also heats up a large steam room. Like its bigger brother, HIVE heater, Hive Mini is inspired by a hive of wild bees and is an ideal centerpiece for a sauna.

HIVE Mini is compatible with the WiFi-capable control system UKU.

THE SET INCLUDES:

- electric sauna heater
- adjustable legs


REQUIRES ALSO:

- UKU sauna control system
- heat-resistant power cable

- air tunnel
- embedding flange
- reflector
- safety railing







EMBEDDING FLANGE

The embedding flange is useful when you plan to install your heater partly inside the sauna bench. It is made of stainless steel, and it covers up the wooden edges around the heater, leaving the final result looking refined and smooth.

AIR TUNNEL

Internal air tunnel for HIVE sauna heaters speeds up sauna heating by 25% and extends the life span of heating elements. It is made of stainless steel and installed in the middle of the heater. When using the air tunnel, you need approximately 30 kg fewer stones.

- compatible with all HIVE electrical models
- shorter heating period
- extends the life span of heating elements



REFLECTOR

Placing a reflector on the heater makes it possible to achieve half smaller safety distances from the walls. It is made of stainless steel and is mounted on the side of the heater. The reflectors can be connected.

compatible with all HIVE models



SAFETY RAILING

Safety railing helps to protect you from accidentally touching against the hot heater. The railing consists of light-colored wooden arcs and stainless steel supports to attach them to the heater. Not only does the railing provide extra safety – but it is also an excellent way to style your heater.

◆ for HIVE: Ø 655 mm◆ for HIVE Mini: Ø 555 mm

SIMPLE AND QUICK INSTALLATION

First, fasten the wooden arches to the outer pieces of the supports with screws. Then place the supports' inner pieces to the heater between the upper and the following wire.

Finally, place the inner and outer pieces of the support facing each other and fix them together with a bolt and nut. You are done!





CLIFF / STEEL HEATERS

An environmentally conscious series

These heaters incorporate the engineering ingenuity that is sustainable for the environment. CLIFF/STEEL heaters come from the same origin. They are made of the same sheet of metal. STEEL heater cut-outs are used to create the ribs of the CLIFF heater without wasting any material.


They are similar in power and volume, and both have a built-in air tunnel, which ensures better ventilation and extends the life of the heating element. However, the nature and differences of the heaters lie in their external dimensions, safety distances, and the amount of stones used. The result is aesthetically designed and space-saving heaters for smaller saunas.





STEEL

CLIFF











reddot winner 2021

CLIFF



HEATER	CLIFF Mini 4	CLIFF 6	CLIFF 9	CLIFF 11
POWER	3,5 kW	6 kW	9 kW	10,5 kW
SAUNA ROOM	3,5-6 m ³	5-10 m ³	9-15 m ³	10-17 m ³
STONE CAPACITY	60 kg	75 kg	75 kg	75 kg
WEIGHT	15 kg	16 kg	16 kg	16 kg
HEIGHT	975 mm	975 mm	975 mm	975 mm
WIDTH	270 mm	270 mm	270 mm	270 mm
DEPTH	160 mm	270 mm	270 mm	270 mm
SAFETY DISTANCE				
Α	60 mm	60 mm	240 mm	240 mm
В	390 mm	390 mm	750 mm	750 mm
CONNECTION				
SUPPLY VOLTAGE 3-PHASE	-	3/N~400 V	3/N~400 V	3/N~400 V
FUSE	-	10 A	16 A	16 A
CABLE (N x mm ²)	-	5 x 2,5	5 x 2,5	$5 \times 2,5$
SUPPLY VOLTAGE 1-PHASE	1/N~230 V	-	-	-
FUSE 1-PHASE	16 A	-	-	-
CABLE (N x mm ²)	3 x 2,5	-	-	-





CLIFF electric heater imitates the northern coastal cliffs. The CLIFF heater's eye-catching stone surface evokes a sense of timeless nature in the steam room. A large amount of heating stones ensures a mild but abundant steam. The air tunnel built into the heater guarantees efficient air flow, accelerates heating and extends the life of the heating elements. The small safety distances of the heater make it also suitable for more compact home saunas.

CLIFF Mini electric heater is an even slimmer, wall-mounted model of the CLIFF heater, which is suitable for small steam rooms. Both heaters are compatible with the UKU sauna control system.

THE SET INCLUDES:

- electric sauna heater
- adjustable legs

REQUIRES ALSO:


- UKU sauna control system
- stones (3-5 cm)
- heat-resistant power cable

- embedding flange (common with STEEL heater)
- reflector
- safety railing





STEEL



STEEL Mini 4	STEEL 6	STEEL 9	STEEL 11
3,5 kW	6 kW	9 kW	10,5 kW
3,5-6 m ³	6-10 m ³	9-15 m ³	10-17 m ³
60 kg	150 kg	150 kg	150 kg
14,5 kg	15 kg	15 kg	16 kg
975 mm	975 mm	975 mm	975 mm
310 mm	320 mm	320 mm	320 mm
160 mm	320 mm	320 mm	320 mm
50 mm	50 mm	100 mm	100 mm
410 mm	420 mm	520 mm	520 mm
-	3/N~400 V	3/N~400 V	3/N~400 V
-	10 A	16 A	16 A
-	5 x 1,5	5 x 2,5	$5 \times 2,5$
1/N~230 V	-	-	-
16 A	-	-	-
3×2.5	_	_	_
	3,5 kW 3,5-6 m ³ 60 kg 14,5 kg 975 mm 310 mm 160 mm 50 mm 410 mm	3,5 kW 3,5-6 m³ 6-10 m³ 60 kg 150 kg 14,5 kg 975 mm 310 mm 320 mm 160 mm 50 mm 410 mm 50 mm 420 mm - 3/N~400 V - 10 A - 5 x 1,5 1/N~230 V - 16 A -	3,5 kW 6 kW 9 kW 3,5-6 m³ 6-10 m³ 9-15 m³ 60 kg 150 kg 150 kg 14,5 kg 15 kg 15 kg 975 mm 975 mm 975 mm 310 mm 320 mm 320 mm 160 mm 50 mm 100 mm 410 mm 420 mm 520 mm - 3/N~400 V 3/N~400 V - 10 A 16 A - 5 × 1,5 5 × 2,5 1/N~230 V 16 A





distances for smaller sauna rooms. STEEL holds plenty of stones, ensuring mild but abundant steam. The built-in air tunnel creates an effective air flow, accelerates heating and extends the life of the heating elements. The stainless steel STEEL heater gives the steam room a modern look and carries the principles of sustainable production. There is no material waste when creating the heater - the ribs of the CLIFF heater are obtained from the cutouts.

STEEL Mini electric heater is a slimmer, wall-mounted 3,5 kW model of the STEEL heater, which is suitable for even smaller steam rooms. Both heaters are compatible with the UKU sauna control system.

THE SET INCLUDES:

- electric sauna heater
- adjustable legs

REQUIRES ALSO:

- ♦ UKU sauna control system
- stones (3-5 cm)
- heat-resistant power cable

- embedding flange (common with CLIFF heater)
- reflector
- safety railing






STEEL safety railing

SAFETY RAILING

Safety railing helps to protect you from accidentally touching against the hot heater. The railing consists of light-colored wooden frame and stainless steel supports to attach them to the heater. Not only does the railing provide extra safety – but it is also an excellent way to style your heater.



EMBEDDING FLANGE FOR CLIFF AND STEEL HEATERS

The embedding flange is useful when you plan to install your heater partly inside the sauna bench. It is made of stainless steel, and it covers up the wooden edges around the heater, leaving the final result looking refined and smooth.



CLIFF reflector




STEEL reflector

REFLECTOR

Placing a reflector on the heater makes it possible to achieve half smaller safety distances from the walls. It is made of stainless steel and is mounted on the side of the heater.

The reflectors can be connected.









CORE

CABLE (N x mm²)






5 x 2,5

5 x 2,5

HEATER	CORE 6	CORE 9	CORE 11
POWER	6 kW	9 kW	10,5 kW
SAUNA ROOM	6-10 m ³	9-15 m ³	10-20 m ³
STONE CAPACITY	30 kg	30 kg	30 kg
WEIGHT	19 kg	19 kg	19 kg
HEIGHT	830 mm	830 mm	830 mm
WIDTH	385 mm	385 mm	385 mm
DEPTH	385 mm	385 mm	385 mm
SAFETY DISTANCE			
Α	40 mm	40 mm	40 mm
CONNECTION			
SUPPLY VOLTAGE 3-PHASE FUSE	3/N~400 V 10 A	3/N~400 V 16 A	3/N~400 V 16 A

5 x 1,5









CORE BK

CORESS





Termo-aspen

Alder

CORE electric heater gives you creative freedom. CORE heats up the sauna quickly and gives pleasant steam, but what makes it special are the designable side panels. Depending on the interior you can use ceramic tiles, stone, lids, or wood. The safety distances of the heater are exceptionally small. CORE can be fully immersed in the sauna bench and fit into small steam rooms. The selection includes a heater without finish or a black metal CORE. We offer wooden panels as an additional product. The wooden finish is a particularly convenient choice for families with small children, for example - the risk of burning yourself against the heater is almost non-existent.

CORE is compatible with the UKU sauna control system.



THE SET INCLUDES:

• electric sauna heater

REQUIRES ALSO:

- UKU sauna control system
- stones (5-10 cm)
- heat-resistant power cable

ACCESSORIES:

wooden side panels




WOOD BURNING SAUNA STOVES






HIVE Wood



SAUNA STOVE	HIVE Wood 13	HIVE Wood 17	HIVE Wood 17 LS
POWER	13 kW	17 kW	17 kW
SAUNA ROOM	6-13 m ³	8-16 m ³	8-16 m ³
STONE CAPACITY	90 kg	130 kg	130 kg
WEIGHT	47 kg	65 kg	77 kg
HEIGHT	750 mm	750 mm	750 mm
WIDTH	450 mm	555 mm	555 mm
DEPTH	460 mm	590 mm	740 mm
FIREWOOD MAX	300 mm	400 mm	400 mm
FLUE (Ø)	115 mm	115 mm	115 mm
SAFETY DISTANCE			
Α	190 mm	500 mm	500 mm
В	250 mm	500 mm	500 mm
С	900 mm	1000 mm	1000 mm
D	1610 mm	2090 mm	2240 mm





HIVE Wood has taken the ancient wisdom of sauna construction to a new level. The hearth of the sauna stove is designed so that the flame is powerful, the combustion is efficient and the stove is long-lasting. The flame cutter in the hearth, exposed to the harshest heat, is made of 5 mm thick stainless steel and is exceptionally durable.

It is possible to hide a heat exchanger under the stones to heat the sauna water. The round design of the sauna stove is borrowed from the beehive, it holds plenty of stones and gives a pleasant steam.

HIVE Wood LS is a model with the hearth extension which allows the stove to be heated from an adjacent room.

THE SET INCLUDES:

REQUIRES ALSO:

wood burning sauna stove

- stones (5-10 cm)
- connection to chimney

HIVE Wood LS

FIREWOOD MAX 400 mm


- heat exchanger
- reflector
- stone cage
- protective bedding (not for LS models)







HIVE Heat



CALINA CTOVE	LIIV/E Lloop 10	LIIVE Heat 10 LC
SAUNA STOVE	HIVE Heat 12	HIVE Heat 12 LS
POWER	12 kW	12 kW
SAUNA ROOM	6-13 m ³	6-13 m ³
STONE CAPACITY	90 kg	90 kg
WEIGHT	56 kg	67 kg
HEIGHT	750 mm	750 mm
WIDTH	450 mm	450 mm
DEPTH	490 mm	640 mm
FIREWOOD MAX	300 mm	300 mm
FLUE (Ø)	115 mm	115 mm
SAFETY DISTANCE		
Α	170 mm	170 mm
В	500 mm	500 mm
С	1160 mm	1310 mm



Wood burning sauna stove. The unique hearth construction directs fresh air to the combustion process from above to create a powerful flame. All wood burns completely in the hearth, including the wood gases that leave the chimney in the case of less efficient sauna stoves. HIVE Heat meets one of the strictest environmental standards in the world, the German BimSchV II. The stove door is made of durable cast iron and the sauna stove is treated only with natural oils without using any chemicals.

HIVE Heat LS is a model with the hearth extension which allows the heater to be heated from an adjacent room.

THE SET INCLUDES:

wood-fired heater

REQUIRES ALSO:

- connection to chimney



- unique structure for efficient burning
- treated only with natural oils
- model HIVE Heat 12 LS allows heating from another room
- complies with BimSchV II

- heat exchanger
- reflector
- stone cage
- protective bedding (not for LS models)







STONE CAGE

The stone cage is mounted straight on the sauna stove around the flue and filled with sauna stones. Thanks to the added stones, the surface for pouring water significantly increases, and that means less hot metal surfaces, that we wish to keep minimal in the sauna.

The stone cage filled with sauna stones is also a decorative element matching with the sauna stove.

Stone cages can be installed on top of each other.

height: 43 cmdiameter: 30 cm

• holds 35-40 kg of stones

• suitable for all HUUM wood burning sauna stoves



REFLECTOR

Reflector makes the safety distances of the sauna stove considerably smaller. It allows the safety distance to be reduced to half of existing safety distances.









PROTECTIVE BEDDING

The protective bedding is intended for use when the sauna stove is placed on a wooden floor or other floors of combustible material.


We also recommend using it if there is water floor heating piping in the floor under the heater.

suitable for all HUUM wood burning sauna stoves (not for LS models)



HEAT EXCHANGER

A heat exchanger heats water when the sauna is heated. The heat exchanger is made of 4 mm steel and coated with heat-resistant paint. The heat exchanger has 3½" male pipes for connecting the heat exchanger to the water tank. The heat exchanger may be placed on the rear edge or on the sides.



SAUNA CONTROLLERS





MIRROR



BLACK



reddot winner 2021

UKU SAUNA CONTROL SYSTEM

UKU control system is a modern way to heat a sauna. The sauna can be controlled from a stylish control panel on the wall or, in the case of the WiFi or 4G control system model, even from a smartphone. UKU ensures you a comfortable and safe sauna experience.

- selection of stylish control panels
- for heaters up to 18 kW
- connectable to lights/ventilation and steamer
- overheating protection
- child safety lock
- timer













Connects with others

UKU is compatible with different manufacturers' heaters with EN 60335-2-53 certificate.







UKU SAUNA CONTROL SYSTEM OPTIONS

UKU WiFi control system requires a connection to a WiFi network to communicate with the mobile app. That is why it's suitable for home saunas or other saunas already in the WiFi range.

UKU 4G model allows you to heat your sauna on the spot or do it from your phone through HUUM mobile app. UKU 4G has a built-in 4G module, and it connects to the mobile app through mobile data, so no WiFi is needed. It is a good solution for holiday houses that are not used all year round.

UKU Local may be the right choice if you are not interested in heating your sauna from the phone. UKU Local control system model makes sauna heating easy and comfortable. You can connect it with your sauna's lights/ventilation and steamer functions and regulate all of them from a stylish control panel on the wall.



HUUM MOBILE APP

UKU+App incorporates all the features of the UKU Local control system while adding an extraordinarily **comfortable** remote control option through a mobile app. With HUUM mobile app, you can heat your sauna comfortably from wherever you are. Whether you are at the end of a long working day or going out for a run, you can have a hot sauna waiting for you when you get home with a **couple of clicks on your phone**. You can choose the beginning and end time of the heating, set the target temperature, and check the current temperature at any given moment.

HUUM mobile app works with UKU WiFi and 4G control system models.

- eight different languages
- unlimited number of users
- notification when the target temperature is reached
- lights/ventilation or steamer control
- calendar for booking sauna in advance
- statistics about sauna use







STONES



ROUNDED STONES

We recommend using **rounded stones** in HUUM heaters to complement the design and have milder steam. In our selection, we have rounded olivine diabase stones in two different size ranges.

The stones are **durable** and have high heat capacity. You can also use other types of stones in HUUM heaters, except decorative stones, because they can break easily and damage the heater.

AVAILABLE SIZES:







Easy to use



Soft Steam



Longer Relaxation



Award Winning Design



Innovative



Stainless Steel



CE Certification



UK Certification



Safety & Control



5 Years Warranty



Made in Estonia







