



PRODUCT CATALOGUE

SAUNA & STEAM

SAWO sauna solutions

distributed by **HUUM** for professional partners
across Europe.

Sales enquiries: sawo@huum.eu



♥ OF SAUNA

TOWER Series

SAWO Tower heater is best described as a *"sauna stone pillar."* Strong, stainless steel rings hold massive amounts of stones. The design is developed to produce steam from the lowest to the highest part of the sauna room.



ARIES Round

Aries Round is a uniquely designed sauna heater that delivers consistent, medium heat. The stylish round shape makes it perfect for placement in the center of the sauna or embedded into benches.



Minimum Safety Distances



Aries Round (NS)



Aries Round Black (NS)

Separate Control

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	MINIMUM SAFETY DISTANCES	
		min	max	width	depth	height		A	B
ARI3-45NS ARI3-45NS-BL	4,5	3	6	300	300	930	60	100	1900
ARI3-60NS ARI3-60NS-BL	6,0	5	8	300	300	930	60	100	1900
ARI3-75NS ARI3-75NS-BL	7,5	7	12	300	300	930	60	100	1900
ARI3-90NS ARI3-90NS-BL	9,0	8	14	300	300	930	60	100	1900




Aries Round (NB)




Aries Round Black (NB)

Built-in Control


HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	MINIMUM SAFETY DISTANCES	
		min	max	width	depth	height		A	B
ARI3-45NB ARI3-45NB-BL	4,5	3	6	300	300	930	60	100	1900
ARI3-60NB ARI3-60NB-BL	6,0	5	8	300	300	930	60	100	1900
ARI3-75NB ARI3-75NB-BL	7,5	7	12	300	300	930	60	100	1900
ARI3-90NB ARI3-90NB-BL	9,0	8	14	300	300	930	60	100	1900



Accessories (Optional)




HEATER GUARDS FOR ROUND Cedar (D) & Aspen (A)	SIZE OF GUARD RAIL			MODEL
	width	depth	height	
ARI-GUARD-W3-D A	585	570	120	ARI3





CUBOS Heater


Cubos is 3-in-1 heater! It can be placed in the middle, corner or wall of the sauna room. Additional protective covers will add support for wall and corner installation. This modern and versatile heater is one of a kind.



Middle
Installation



Wall Installation
with Protective Cover



Corner Installation
with Protective Cover

Cubos is a versatile heater with 3 different installation options. By adding Cubos Protective Cover, the cubos heater can be transformed to Wall or Corner heater.

Cubos


- » Power range 4.5 - 9.0kW
- » Available controlling NS, NB
- » Sauna Experience: Medium heat, Humid
- » Built-in stone spacer
- » Stainless steel casing
- » Adjustable legs
- » Optional Heater guard and integration collar



Protective Cover Accessory


Wall Installation

Use Cubos Protective Cover for wall installation. Best for sauna designs with limited space. The set of the protective cover for wall includes covering sheet and a reflector that directs heat even to lowest parts of the sauna room.



Wall Installation
with Protective Cover

MODEL	SIZE OF COVER		
	WIDTH	DEPTH	HEIGHT
CUB-PROCOV-WL	660	300	65



Corner Installation
with Protective Cover

Corner Installation

Cubos quickly changes to corner model with Protective Cover for corner. Corner installation saves space and enables using different bench designs. The protective cover for corner set includes two pieces of covering sheet, a connection rod and a heat reflector.

MODEL	SIZE OF COVER		
	WIDTH	DEPTH	HEIGHT
CUB-PROCOV-CNR	660	300	100



Separate
(NS)



Built-in Control
(NB)

Separate Control

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER (mm)							STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES		
		min max (m³)		MIDDLE width depth	WALL width depth	CORNER width depth	height	A	AA	B					
CUB3-45NS	4,5	3	6	290	290	290	340	340	340	930	75	separate	100	100	1900
CUB3-60NS	6,0	5	9	290	290	290	340	340	340	930	75	separate	100	100	1900
CUB3-75NS	7,5	7	13	290	290	290	340	340	340	930	75	separate	100	135	1900
CUB3-90NS	9,0	8	14	290	290	290	340	340	340	930	75	separate	125	135	1900

Built-in Control

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER (mm)							STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES		
		min	max	MIDDLE		WALL		CORNER		height			A	AA	B
		(m³)		width	depth	width	depth	width	depth						
CUB3-45NB	4,5	3	6	290	290	290	340	340	340	930	75	built-in	100	100	1900
CUB3-60NB	6,0	5	9	290	290	290	340	340	340	930	75	built-in	100	100	1900
CUB3-75NB	7,5	7	13	290	290	290	340	340	340	930	75	built-in	100	135	1900
CUB3-90NB	9,0	8	14	290	290	290	340	340	340	930	75	built-in	125	135	1900

Accessories (Optional)



Wooden Heater Guard for CUB3. **Middle Installation**

MODEL Cedar (D) & Aspen (A)	SIZE OF GUARD RAIL		
	width	depth (mm)	height
CUB-GUARD-W3-D	530	150	170
CUB-GUARD-W3-A	530	150	170



Wooden Heater Guard for CUB3. **Corner Installation**



MODEL Cedar (D) & Aspen (A)	SIZE OF GUARD RAIL		
	width	depth (mm)	height
CUB-GUARD-W3-CNR-D	458	150	170
CUB-GUARD-W3-CNR-A	458	150	170




Wooden Heater Guard for CUB3. **Wall Installation**

MODEL Cedar (D) & Aspen (A)	SIZE OF GUARD RAIL		
	width	depth (mm)	height
CUB-GUARD-W3-WL-D	550	150	160
CUB-GUARD-W3-WL-A	540	150	170


Minimum Safety Distances



Middle Installation



Wall Installation with Protective Cover



Corner Installation with Protective Cover

TOWER

Round

Tower heaters are developed to produce steam from the lowest to the highest part of the sauna, similar to smoke-sauna. Tower heaters are equipped removable stone spacer, when in use you can enjoy more hotter temperature and save electricity through reduced heating time. The stone spacer improves air flow in the heater and helps to extend heating element life span when stones are not touching the elements.

Tower Round is a timelessly elegant heater that will release long-lasting mild, steady and humid heat. Round model is perfect to be placed in the middle of the sauna or embedded into benches. Suitable for small to extra-large saunas (2m³ - 40m³).




Minimum Safety Distances



Tower Round
(NS)

Separate Control


HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES		CONTROL	MINIMUM SAFETY DISTANCES	
		min	max	width	depth	height	Without Stone Spacer	With Stone Spacer		A	B
		(m³)		(mm)			(kg)				
TH3-45NS	4,5	3	6	260	260	1300	70	60	separate	150 100	1900
TH3-60NS	6,0	5	8	260	260	1300	70	60	separate	150 100	1900
TH6-90NS	9,0	8	15	365	365	1300	160	100	separate	100 100	1900
TH6-105NS	10,5	9	16	365	365	1300	160	100	separate	150	1900
TH6-120NS	12,0	11	18	365	365	1300	160	100	separate	200	2100
TH9-150NS	15,0	14	25	450	450	1300	230	165	separate	200	2100
TH9-180NS	18,0	18	28	450	450	1300	230	165	separate	200	2100
TH12-210NS	21,0	22	35	545	545	1300	360	220	separate	200	2300
TH12-240NS	24,0	24	40	545	545	1300	360	220	separate	200	2300



Accessories (Optional)



HEATER GUARDS FOR ROUND Wooden Cedar (D) & Aspen (A)	SIZE OF GUARD RAIL			MODEL
	width	depth	height	
		(mm)		
TH-GUARD-W2-D A	510	270	210	TH2 TH3
TH-GUARD-W6-D A	625	625	110	TH6
TH-GUARD-W9-D A	710	375	208	TH9
TH-GUARD-W12-D A	810	420	220	TH12





Sauna HEATERS

WALL-Mounted Series

SAWO Wall-mounted heaters are for those who love the traditional dry and hot sauna experience. From these classic heaters you can find robust and space-saving models for small and medium size saunas.



Mini
(NB)



Mini
(NS)

Mini

Mini heater is the solution for small, 1 – 2 persons sauna rooms. Due to its small size and from left to right reversible control unit, Mini heater can be placed in very small locations.

Best for small sauna (1.3m³ - 6m³).

- Power range 2.3 - 3.6kW
- Available controlling NB
- Sauna Experience: Hot, Sharp heat



Mini Combi
(NS)

Mini Combi


Mini heater with additional combi water tank for increased humidity.

Best for small sauna (2m³ - 6m³).


- Power range 3.0 - 3.6kW
- Available controlling NS
- Separate water tank with 1kW steam generator
- Built-in aroma cup for aroma therapy
- Sauna Experience: Hot, Sharp heat to mildly humid




Minimum Safety Distances



Wall Mounting Rack Installation



Wall Mounting Rack Installation



Built-in Control



Mini (NB)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES				
		min	max	width	depth	height			A	B	C	D	E
MN-23NB	2,3	1,3	2,5	435	215*	455**	11	built-in	100	20	100	140	155
MN-30NB	3,0	2	4	435	215*	455**	11	built-in	100	20	100	140	155
MN-36NB	3,6	3	6	435	215*	455**	11	built-in	100	20	100	140	155

*Depth when installed to the wall.

**Reflector not included.

Separate Control



Mini (NS)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES				
		min	max	width	depth	height			A	B	C	D	E
MN-23NS	2,3	1,3	2,5	435	215*	455**	11	separate	100	20	100	140	155
MN-30NS	3,0	2	4	435	215*	455**	11	separate	100	20	100	140	155
MN-36NS	3,6	3	6	435	215*	455**	11	separate	100	20	100	140	155

*Depth when installed to the wall.

**Reflector not included.

Combi Control



Mini Combi (NS)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL
		min	max	width	depth	height		
MNC-23NS	2,3	2	4	330	260*	500	8-10,5	separate
MNC-30NS	3,0	2	4	330	260*	500	8-10,5	separate
MNC-36NS	3,6	3	6	330	260*	500	8-10,5	separate

*Depth when installed to the wall.



Nordex Mini Black
(NS)



Nordex Mini Black
(NB)

Nordex Mini

Nordex Mini can be wall-mounted in straight or corner position.

Perfect especially for small sized saunas to (1.3m³ - 6m³).

- Power range 2.3 - 3.60kW
- Available controlling NS, NB
- Sauna Experience: Hot, Sharp heat



Nordex Combi Black
(NS)

Nordex Mini Combi

Nordex Mini in combi version, helps to add humidity to the heat.

Perfect especially for small sized saunas to (2m³ - 6m³).

- Power range 3 - 3.6kW
- Available controlling NS
- Separate water tank with 0.8kW steam generator
- Built-in aroma cups for aroma therapy
- Sauna Experience: Hot, Sharp heat to milder humid heat





Nordex Mini
Black
(NB)




Nordex Mini
Black
(NS)

Built-in Control | Separate Control


HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES		
		min	max	width	depth	height			A	B	C
NRMN-23NB NS	2,3	1,3	2,5	340	200*	500	11	built-in separate	30 50	20 30	60 85
NRMN-30NB NS	3,0	2	4	340	200*	500	11	built-in separate	35 50	25 30	65 85
NRMN-36NB NS	3,6	3	6	340	200*	500	11	built-in separate	40 50	25 30	65 85

*Depth when installed to the wall.

Minimum Safety
Distances



Wall Mounting Rack Installation



Combi Control


HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL
		min	max	width	depth	height		
NRMNC-30NS	3,0	2	4	340	240*	500	11	separate
NRMNC-36NS	3,6	3	6	340	240*	500	11	separate

*Depth when installed to the wall.



Nordex Mini Combi
Black
(NS)

Wall Mounting Rack Installation





Scandia
(NS)



Scandia
(NB)

Scandia

Scandia is a stable classic of sauna heaters. This simple heater gives the traditional Finnish sauna experience.

Best for small to medium sized sauna (3m³ - 14m³).

- Power range 4.5 - 9.0kW
- Available controlling NS, NB
- Sauna Experience: Hot, Sharp heat




Scandia Combi
(NS)

Scandia Combi

Scandia heater with additional combi water tank for increased humidity.

Best for small to medium sized sauna (5m³ - 14m³).

- Power range 6 - 9.0kW
- Available controlling NS
- Separate water tank with 1kW or 2kW steam generator
- Built-in aroma cup for aroma therapy
- Sauna Experience: Hot, Sharp heat to mildly humid



Minimum Safety Distances


Scandia
(NB)

Built-in Control

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES			
		min	max	width	depth	height			A	B	C	D
SCA-45NB	4,5	3	6	515	290*	455**	22	built-in	100	100	185	155
SCA-60NB	6,0	5	8	515	290*	455**	22	built-in	100	100	185	155
SCA-80NB	8,0	7	13	515	290*	525**	22	built-in	100	100	185	235
SCA-90NB	9,0	8	14	515	290*	525**	22	built-in	100	100	185	235

*Depth when installed to the wall.

**Reflector not included.



Scandia
(NS)

Separate Control


HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES			
		min	max	width	depth	height			A	B	C	D
SCA-45NS	4,5	3	6	410	290*	455**	22	separate	100	100	185	155
SCA-60NS	6,0	5	8	410	290*	455**	22	separate	100	100	185	155
SCA-80NS	8,0	7	13	410	290*	525**	22	separate	100	100	185	235
SCA-90NS	9,0	8	14	410	290*	525**	22	separate	100	100	185	235

*Depth when installed to the wall.

**Reflector not included.




Wall Mounting Rack Installation


Scandia Combi
(NS)

Combi Control

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES			
		min	max	width	depth	height			A	B	C	D
SCAC-60NS	6,0	5	9	410	365*	595	18-22	separate	5	50	135	1900
SCAC-90NS	9,0	8	14	410	365*	595	18-22	separate	5	50	135	1900

*Depth when installed to the wall.





Nordex Black
(NS)



Nordex Black
(NB)

Nordex

Nordex heater with minimalist and modern design.

Perfect especially for small to medium sized saunas to (3m³ - 14m³).

- Power range 4.5 - 9.0kW
- Available controlling NS, NB
- Sauna Experience: Hot, Sharp heat



Nordex Combi Black
(NS)

Nordex Combi

Nordex in combi version, helps to add humidity to the heat.

Perfect especially for small to medium sized saunas to (5m³ - 14m³).

- Power range 6.0 - 9.0kW
- Available controlling NS
- Separate water tank with 0.8kW or 2kW steam generator
- Built-in aroma cups for aroma therapy
- Sauna Experience: Hot, Sharp heat to milder humid heat



Minimum Safety Distances

Built-in Control | Separate Control



HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES			
		min	max	width	depth	height			A	B	C	D
NR-45NB NS	4,5	3	6	400	295*	515**	18-22	built-in separate	50	50	80	320
NR-60NB NS	6,0	5	9	400	295*	515**	18-22	built-in separate	50	50	80	320
NR-80NB NS	8,0	7	13	400	295*	590**	18-22	built-in separate	80	80	110	395
NR-90NB NS	9,0	8	14	400	295*	590**	18-22	built-in separate	80	80	110	395


*Depth when installed to the wall.

**Height with reflector.


Accessories (Optional)



HEATER GUARDS FOR NORDEX	SIZE OF GUARD RAIL		
	width	depth	height
Wooden Cedar (D) & Aspen (A)			
NRN-GUARD-W-D	462	100	75
NRN-GUARD-W-A	462	100	75



Wall Mounting Rack Installation




Combi Control



HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL
		min	max	width	depth	height		
NRC-60NS	6,0	5	9	410	365*	580**	22	separate
NRC-90NS	9,0	7	14	410	365*	580**	22	separate

*Depth when installed to the wall.

**Height with reflector.



Wall Mounting Rack Installation



Sauna HEATERS

FLOOR Series

SAWO Floor Series features movable, high-performance, stand-alone sauna heaters that ensure optimal heat distribution and comfort, enhancing your sauna experience with sleek, durable designs.

WARNING! VARNING! VYSTRAHA! ADVERTENCIA! WAARSCHUWING!
OPOZORILO! OSTRZEZENIE! FIGYELMEZTETES! AVERTISSEMENT!



Savonia
(NS)

Savonia

Savonia models are electric heaters designed to withstand extreme heat with only little care and maintenance. They can handle large amount of stones for more pleasant sauna steam. Savonia heaters are with adjustable leg support that keeps the heater stand leveled on the floor. Suitable for especially for commercial saunas. Perfect especially for medium to large sized saunas to (8m³ - 42m³).

- Power range 9.0 - 24.0kW
- Available controlling NS
- Sauna Experience: Medium heat, with mild steam




Savonia Combi
(NS)

Savonia Combi

Savonia model with combi-tank. Balance the hot and sharp heat with additional water tank for more steam. Perfect especially for medium to large sized saunas to (8m³ - 29m³). Available also with auto-refill.

- Power range 9.0 - 18.0kW
- Available controlling NS
- Built-in aroma cups
- Optional auto-refill, for automatically filled water tank
- Sauna Experience: Medium heat and humidity





Minimum Safety Distances

Separate Control


Savonia
(NS)



HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES			
		min	max	width	depth	height			A	B	C	D
SAV-90NS	9,0	8	14	440	420	655	50	separate	1200	110	50	1900
SAV-105NS	10,5	9	15	440	420	655	50	separate	1200	120	60	1900
SAV-120NS	12,0	10	18	440	420	655	50	separate	1400	130	70	2100
SAV-150NS	15,0	13	23	590	420	655	75	separate	1400	160	100	2100
SAV-180NS	18,0	17	29	590	420	655	75	separate	1400	160	100	2100
SAV-210NS-V12	21,0	22	35	740	420	655	100	separate	1400	160	100	2100
SAV-240NS-V12	24,0	26	42	740	420	655	100	separate	1400	160	100	2100



Combi Control


Savonia Combi
(NS)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES			
		min	max	width	depth	height			A	B	C	D
SAVC-90NS	9,0	8	14	510	420	655	50	separate	1200	110	50	1900
SAVC-105NS	10,5	9	15	510	420	655	50	separate	1200	120	60	1900
SAVC-120NS	12,0	10	18	510	420	655	50	separate	1400	130	70	2100
SAVC-150NS	15,0	13	23	715	420	655	75	separate	1400	160	100	2100
SAVC-180NS	18,0	17	29	715	420	655	75	separate	1400	160	100	2100





Nordex S Black
(NS)

Nordex S

Nordex S is new version of Nordex Floor with sleeker design. This heater can be placed easily to different sauna room layout due to the slimmer design.

Perfect especially for medium sized saunas (5m³ - 14m³).

- Power range 6.0 - 9.0kW
- Available controlling NS
- Sauna Experience: Hot, Sharp heat



Nordex S Combi Black
(NS)

Nordex S Combi

The **Nordex S Combi** is now available in a steamier version. Balance the intense heat with an additional water tank for more steam.

Perfect for medium-sized saunas (5m³ - 14m³).

- Power range 6.0 - 9.0kW
- Available controlling NS
- Separate water tank with 0.8kW or 2kW steam generator
- Built-in aroma cups for aroma therapy
- Sauna Experience: Hot, Sharp heat to Milder steam




Minimum Safety Distances



Nordex S Black (NS)

Separate Control


HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES			
		min	max	width	depth	height			A	B	C	D
NRNS-60NS-BL	6,0	5	9	270	395	710	18 - 25	separate	50	50	5	1900
NRNS-80NS-BL	8,0	7	13	270	395	710	18 - 25	separate	80	80	5	1900
NRNS-90NS-BL	9,0	8	14	270	395	710	18 - 25	separate	80	80	5	1900



Nordex S Combi (NS)

Separate Control

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES			
		min	max	width	depth	height			A	B	C	D
NRNSC-60NS-BL	6,0	5	9	270	395	710	8	separate	5	50	5	1990
NRNSC-80NS-BL	8,0	7	13	270	395	710	8	separate	5	80	5	1990
NRNSC-90NS-BL	9,0	8	14	270	395	710	8	separate	5	80	5	1990



Helius

This modern, “hidden” heater with slim shape gives you flexibility on heater placement. **Helius** requires only a small safety distance (min. 5mm), to decrease the safety distance even more minimal, add separate Helius hood.

To get more space for benches, Helius can be installed behind the benches. The genius airflow design creates ventilation in the heater, which heats up air inside the sauna more efficiently.

Perfect especially for small to medium sized saunas to (3m³ - 14m³).

- Power range 4.5 - 9.0kW
- Available controlling NS
- Separate soapstone water basin with hose
- Sauna Experience: Hot, Sharp heat
- Optional heater guard and Helius Hood



Separate Control



Helius
(NS)


HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL
		min	max (m³)	width	depth	height		
HES-45NS	4,5	3	6	860	230	655	19	separate
HES-60NS	6,0	5	8	860	230	655	19	separate
HES-75NS	7,5	7	12	860	230	655	19	separate
HES-90NS	9,0	8	14	860	230	655	19	separate

Helius with Hood (Optional)

- Keep a small space for wall divider to recess area so heater can go below the bench.



Accessories (Optional)



Helius Heater Guards


MODEL	SIZE OF GUARD RAIL		
	width	depth	height
Cedar (D) & Aspen (A)			
HES-GUARD-W-D	910	278	88
HES-GUARD-W-A	910	278	88

Other features:


- Floor standing
- Stones are not in contact with heating elements
- Water accessory is included for recess wall installation
- Can fit 17kg of stones
- 4,5kW - 9,0kW power
- Catch pan included
- Separate control
- Adjustable legs

Technical DATA

Minimum Safety
Distances



Minimum Safety Distances (Recess Wall)



Minimum Safety Distances (Normal Installation)

Taurus

Taurus is a professional heater with advance sensory system that detects early stage of heating element malfunctions. The rock container keeps stones separated from the heating elements which increases life span of the heating elements.

Taurus D revolutionizes the standard sauna heater, by having 2 heating element options in same heater. Choose different power outputs depending on how the heating groups are connected (9/12 kW, 15/18 kW, 18/21/24 kW).

- Power range 9.0 - 24.0kW
- Available controlling NS
- Sauna Experience: Hot, Sharp heat to milder and more humid
- Optional heater guard



Taurus D



Taurus (NS)

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES		
		min	max (m³)	width	depth (mm)	height			A	B	C
TRD-90/120NS-G-P	9,0 12,0	8	18	555	555	690	50	separate	1210	50	1900
TRD-150/180NS-G-P	15,0 18,0	13	29	705	555	690	75	separate	1410	50	2100
TRD-180/210/240NS-G-P	18,0 21,0 24,0	18	42	990	555	690	100	separate	1410	50	2100

Taurus D Combi



Taurus Combi (NS) NEW!

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES		
		min	max (m³)	width	depth (mm)	height			A	B	C
TRDC-90/120NS-G-P	9,0 12,0	8	18	555	595	690	50	separate	1210	50	1900
TRDC-150/180NS-G-P	15,0 18,0	13	29	705	595	690	75	separate	1410	50	2100
TRDC-180/210/240NS-G-P	18,0 21,0 24,0	18	42	990	595	690	100	separate	1410	50	2100

Taurus D Combi Autorefill



Taurus Combi Autorefill (NS) NEW!

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL	MINIMUM SAFETY DISTANCES		
		min	max (m³)	width	depth (mm)	height			A	B	C
TRDC-90/120NS-G-P-A	9,0 12,0	8	18	555	595	690	50	separate	1210	50	1900
TRDC-150/180NS-G-P-A	15,0 18,0	13	29	705	595	690	75	separate	1410	50	2100
TRDC-180/210/240NS-G-P-A	18,0 21,0 24,0	18	42	990	595	690	100	separate	1410	50	2100

Accessories (Optional)



Taurus Heater Guard for TRD-90/150/120

MODEL	SIZE OF GUARD RAIL		
	width	depth (mm)	height
Cedar (D), Aspen (A) & Black (BL)			
TAU-GUARD-W9-D A BL	554	102	135



Taurus Heater Guard for TRD-180/210/240

MODEL	SIZE OF GUARD RAIL		
	width	depth (mm)	height
Cedar (D), Aspen (A) & Black (BL)			
TAU-GUARD-V12-D A BL	102	704	135




Technical DATA

Minimum Safety Distances



Minimum Safety Distances

Easy access to change heating elements through cassette pull-out tray.






CONTROLS


Pleasurable moments are just few clicks away.

CONTROLS



Saunova 2.0 (SAU-UI-V2)


- Easy and stylish user interface
- For NS heaters 2.3 - 9kW add Saunova 2.0
- Power Controller
- More than 9kW needs a Contactor
- Smart Controlling - feature
- Optional Combi - feature
- Dimensions: (W) 104 x (H) 147 x (D) 37mm




Saunova 2.0 Built-in (SAU-B-V2)

- Combined User Interface and Power Controller
- Controller
- For all NS Heaters 2.3 - 9kW, for 9 - 18kW add Saunova 2.0 Contactor Unit
- Smart Controlling - feature
- Compatible with Door Sensor
- Optional Fan and Combi - feature
- Dimensions: (W) 270 x (H) 320 x (D) 90mmv

Saunova 2.0 Power Controller (SAU-PC-V2)



Saunova 2.0 Contactor Unit (SAU-PS-V2)



⚠ Needed when heater is more than 9kW power.




CONTROLS



Innova Classic 2.0 (INC-S-V2)

- Connect with INP-C-V2 to use with any NS heater
- Smart Controlling - feature
- Compatible with Door Sensor
- Fan, Dimmer and Combi-feature



Innova Classic 2.0 Built-in (INC-B-V2)

- Combined User Interface and Power Controller
- For all NS Heaters 2.3 - 15kW, connect with Innova 2.0 Contactor Unit for 15 - 28kW heaters
- Smart Controlling - feature
- Optional Fan, Dimmer and Combi - feature
- Dimensions: (L) 32cm x (H) 27cm x (W) 8cm




Innova Stainless Steel Touch (INT-S-SST)


- Connect with INP-C to use with any NS heater
- Smart Controlling - feature
- Compatible with Door Sensor
- Optional easy mode
- Power blackout memory
- Fan, Dimmer and Combi - feature
- Dimensions: (W) 147 x (H) 104 x (D) 40mm



Innova 2.0 Power Controller (INP-C)



Innova 2.0 Contactor Unit (INP-S)



! A Contactor Unit is needed for more than 15kW power heater.



CONTROLS

Temperature Sensors




Temperature
Sensor
with Fuse
(INN-FTEMP)



Optional Second
Temperature
Sensor
for Bench Area
(INN-BTEMP)



Optional Humidity
and
Temperature
Sensor
for Bench Area
(INN-HUM)



Interface Holders



Sauna ACCESSORIES

Fulfill sauna design with outstanding sauna accessories.





Accessories Set BASIC

CODE	HE01601
SIZE	270 x 270 x 290 mm
WEIGHT	1,9 kg

Packed in a sturdy, double-layered cardboard box



Accessories Set ESSENTIALS

CODE	HE01602
SIZE	270 x 270 x 290 mm
WEIGHT	2,2 kg

Packed in a sturdy, double-layered cardboard box

Set includes 5 pieces:

1. 340-BS | Wooden Pail 4 L | spruce
2. 304 | Plastic insert for wooden Pail
3. 281-THBS | Thermo-Hygrometer* | spruce
4. 552-BS | Sand timer 15 minutes* | spruce
5. 430-BS | Wooden Laddle 36 cm / 100 ml | spruce

Set includes 8 pieces:

1. 340-BS | Wooden Pail 4 L | spruce
2. 304 | Plastic insert for wooden Pail
3. 281-THBS | Thermo-Hygrometer* | spruce
4. 552-BS | Sand timer 15 minutes* | spruce
5. 430-BS | Wooden Laddle 36 cm / 100 ml | spruce
6. HE0150107 | Eucament 100 ml
7. HE0150106 | Mountain Pine 100 ml
8. HE0150101 | Lemongrass 100 ml

*. Thermo-hygrometers and Sand timers are not calibrated measuring.



Accessories Set ASPEN

CODE	HE01605
SIZE	270 x 270 x 290 mm
WEIGHT	1,9 kg

Packed in a sturdy, double-layered cardboard box



Accessories Set CEDAR

CODE	HE01606
SIZE	270 x 270 x 290 mm
WEIGHT	1,9 kg

Packed in a sturdy, double-layered cardboard box



Accessories Set PREMIUM BLACK

CODE	HE01604
SIZE	500 x 300 x 290 mm
WEIGHT	2,5 kg

Packed in a sturdy, double-layered cardboard box

Set includes 5 pieces:

1. 441-MA | Stainless Laddle | Aspen
2. 340-A | Bucket | Aspen
3. 225-THA | Thermo-Hygrometer* | Aspen
4. 553-A | Sand timer 15 minutes* | Aspen
5. 304 | Plastic insert for wooden Pail



Set includes 5 pieces:

1. 441-MD | Stainless Laddle | Cedar
2. 340-D | Bucker | Cedar
3. 225-THD | Thermo-Hygrometer* | Cedar
4. 553-D | Sand timer 15 minutes* | Cedar
5. 304 | Plastic insert for wooden Pail



Set includes 5 pieces:

1. 451-MBL | Kanto Laddle | black pine | Stainless
2. 346-BL | Lovi Pail | black pine
3. 225-BL | Thermo-Hygrometer* | Cedar Black
4. 554-BL | Sand timer 15 minutes* | Black
5. Plastic insert | Black



*- Thermo-hygrometers and Sand timers are not calibrated measuring.



Stainless Pail with Curve Handle	
CODE	373-MA MD
CAPACITY	5 L
WOOD	Aspen Cader



Kanto	
CODE	347-WH 347-BL
CAPACITY	4 L
WOOD	White Pine Black Pine



Lovi	
CODE	346-WH 346-BL
CAPACITY	4 L
WOOD	White Pine Black Pine



Wooden Pail Classic	
CODE	340-P A D
CAPACITY	4 L
WOOD	Pine Aspen Cedar





Stainless Ladle 400 mm	
CODE	441-MP MA MD
SIZE	400 mm
WOOD	Pine Aspen Cader



Stainless Ladle Siro 46.5 cm	
CODE	445-MP MA MD
SIZE	465 mm
WOOD	Pine Aspen Cader



Kanto Ladle	
CODE	451-MBL 451-MWH
SIZE	520 mm
WOOD	Black White



Stainless Ladle Curve	
CODE	453-MD 453-MA
SIZE	460 mm
WOOD	Cader Aspen



Wooden Ladle Classic 52 cm	
CODE	443 D
SIZE	520 mm
WOOD	Basswood Cader



Wooden Ladle Claccic 68 cm	
CODE	444 D
SIZE	680 mm
WOOD	Basswood Cader



Stainless Ladle Siro 70,5 cm	
CODE	446-MP MA MD
SIZE	705 mm
WOOD	Pine Aspen Cader

SAUNA ACCESSORIES | Thermometers & Combined Meters



Thermometer Square	
CODE	223-TP TA TD
SIZE	140 x 140 mm
WOOD	Pine Aspen Cader



Thermo-Hygrometer Rectangle	
CODE	224-THP THA THD
SIZE	255 x 140 mm
WOOD	Pine Aspen Cader



Thermometer Cut Corner Square	
CODE	220-TP TA TD
SIZE	140 x 140 mm
WOOD	Pine Aspen Cader



Thermo-Hygrometer Square	
CODE	225-THP THA THD
SIZE	180 x 180 mm
WOOD	Pine Aspen Cader

SAUNA ACCESSORIES | Clock & Timers



Sand Timer 15 min	
CODE	554-BL
SIZE	58 x 340 mm
WOOD	Black Cader



Sand Timer 15 min	
CODE	553-P 553-A 553-D
SIZE	80 x 340 mm
WOOD	Pine Aspen Cedar



SAUNA ACCESSORIES | Headrests & Backrests



Wave Wooden Headrest	
CODE	515-A D
SIZE	190 x 480 mm
WOOD	Aspen Cader



Wooden Backrest	
CODE	516-P A D
SIZE	396 x 515 mm
WOOD	Pine Aspen Cader



Halu Wooden Headrest	
CODE	512-A D
SIZE	180 x 230 mm
WOOD	Aspen Cedar



SAUNA ACCESSORIES | Covers for Sauna Lights



Wooden Light Cover Corned / Wall	
CODE	914-VP VA VD
SIZE	150 x 110 mm
WOOD	Pine Aspen Cader



Wooden Light Cover Wave	
CODE	917-A D
SIZE	207 x 280 mm
WOOD	Aspen Cader



SAUNA ACCESSORIES | Aromas



Lemongrass

Code: HE0150101

A strong, fresh citrus scent - can be invigorating, revitalizing, naturally energizing and helping chasing away fatigue



Blood Orange

Code: HE0150102

Fruity and zesty - this scent can boost concentration, awaken the senses, and promoting a sense of inner balance



Lapland

Code: HE0150103

Fresh, cool and Nordic - with a clean note of wild grass, inspired by the untouched nature of the far north



Mango

Code: HE0150104

A sweet, exotic fragrance that can soothe the senses and create a feeling of tropical ease



Birch

Code: HE0150105

A harmonious blend of Birch and Hay Blossom. Can have a stabilizing and stimulating effect and can help to bring body and mind into balance



Mountain Pine

Code: HE0150106

Powerful and revitalizing - this composition of Mountain Pine, Fir Needle & Cedarwood can awaken the sense, energizing the mind and inspiring fresh thoughts



Eucament

Code: HE0150107

An intensely refreshing sauna scent on Eucalyptus, Mint, Menthol & Camphor - can be cooling and clarifying. Can be beneficial for breathing. Perfect for an invigorating sauna infusion



SAUNA ACCESSORIES | Ventilations



Ventilation Louver Square	
CODE	620-P A D
SIZE	215 x 170 mm
WOOD	Pine Aspen Cedar



Ventilation Louver Circle	
CODE	631-P A D
SIZE	Ø 145 mm
WOOD	Pine Aspen Cedar
DUCTING HOLE	100 mm



Ventilation Louver Circle	
CODE	638-BL
SIZE	Ø 145 mm
WOOD	Pine Aspen Cedar
DUCTING HOLE	100 mm



Moisture Paper	
CODE	SP02-900
SIZE	1200 x 77 x 77mm

PAIL Shower

The **pail shower** is with a rope on the lever, hose and float valve. Its arc shaped holder design gives more possibilities to place shower either on the ceiling or to the wall. Pail shower is suitable for indoor or outdoor use. The hose needs to be connected to a water inlet so when water is flushed out, the pail will automatically be refilled – a never ending pail shower!



Pail Shower	
CODE	393-D S BL
CAPACITY	18 L
WOOD	Cedar Spruce Black



Wall Installation



Ceiling Installation



KIVISTONE®

Kivistone is a collection of beautiful products carved from Finnish soapstone. Each of these items are uniquely designed for house interiors, household use and for personal or corporate gifts. You will find a vast selection of interesting concepts and designs made of soapstone.

- Coolers and cooler sets
- Aroma cups and scent basins
- Miscellaneous items



Aroma Spirit Cup

CODE	R-501
SIZE	75 x 75 x 120 mm
WEIGHT	0,7 kg



Wine Cooler Stone

CODE	R-93-D
SIZE	230 x 155 x 84 mm
MATERIAL	Soapstone/Cedar




Spa Stone Set

CODE	R-500-D
SIZE	90 x 128 x 178 mm
MATERIAL	Soapstone/Cedar

HEATER ACCESSORIES

Safety Switch For Heaters



Additional safety, switch will turn off heater if foreign object is placed on top heater. Follows standard SFSEN60335-2-53, sec 19.101



Sauna Stones

CODE	R-990
SIZE	20 kg



Cozy Tank

- Water storage that adds instant steam when heater is hot
- Refillable water via top cover holes
- Thick stainless metal
- Carved soapstone top cover
- Available in 2 designs
- Scent pockets for sauna aroma

WATER VOLUME	HEATER
0,7 L	Tower (Round, Wall, Corner), Aries (Round, Wall, Corner), Phoenix, Orion
1,3 L	Taurus, Mini, Mini X, Scandia, Savonia, Nordex Mini, Nordex, Nordex Floor, Nimbus, Cumulus




Cozy Tank 0.3 L

CODE:	HP01-090
Cylindrical Sauna Humidifier	



Cozy Tank 0.6 L

CODE:	HP01-070
Cylindrical Sauna Humidifier	



Cozy Tank 1.3 L

CODE:	HP01-071
Rectangular Sauna Humidifier	

STEAM Sauna

Unwind stress with soothing clouds.



STN-W Steam Generator

A more robust and heavy-duty performer **STN-W steam generator** is best for commercial use. Comes with unique cassette for heating elements for easy cleaning and replacement. Use the Aroma, Fan and dimmer features to customize the steam sauna experience to your liking. Demand button can be installed to release extra steam for 30 seconds. Troubleshooting becomes very handy as error codes are displayed on the controller screen. Now the updated design with removable side window for easier changing of settings on the board. These steam generators can be installed in any favorable left or right orientation. The autodrain is possible to be installed on the side or on the bottom. SAWO steam generators can be tapped up to 5 series connections to have maximum power output using only 1 control. Maximum power output is 75kW.



2 Heating Elements



- Steam output up to 6,7kg/hr
- Can be installed in either side
- Own pipe for overpressure valve
- Auto drain
- Steam head included
- Cassette type heating element setup for easy maintenance
- 3kW - 5kW power
- ¾" steam pipe
- Stainless Touch & STW 2.0



3 Heating Elements

- Steam output up to 7,5kg/hr
- Can be installed in either side
- Own pipe for overpressure valve
- Auto drain
- Steam head included
- Cassette type heating element setup for easy maintenance
- 4,5kW - 7,5kW power
- ¾" steam pipe
- Stainless Touch & STW 2.0



6 Heating Elements

- Steam output up to 20kg/hr
- Can be installed in either side
- Own pipe for overpressure valve
- Auto drain
- Steam head included
- Cassette type heating element setup for easy maintenance
- 9kW - 15kW power
- ¾" steam pipe
- Stainless Touch & STW 2.0

2 Heating Elements


STEAM GENERATOR MODEL	kW	STEAM ROOM		SIZE OF STEAM GENERATOR			WEIGHT (kg)	CONTROL
		min	max	width	depth (mm)	height		
STN-W-35-1/2	3,5		3,5	560	245	485	17	Stainless Touch STN-W 2.0

3 Heating Elements

STEAM GENERATOR MODEL	kW	STEAM ROOM		SIZE OF STEAM GENERATOR			WEIGHT (kg)	CONTROL
		min	max	width	depth (mm)	height		
STN-W-45-C1/3	4,5	2	5	560	280	485	19	Stainless Touch STN-W 2.0
STN-W-60-C1/3	6,0	3	10	560	280	485	19	Stainless Touch STN-W 2.0
STN-W-75-C1/3	7,5	4	15	560	280	485	19	Stainless Touch STN-W 2.0

6 Heating Elements

STEAM GENERATOR MODEL	kW	STEAM ROOM		SIZE OF STEAM GENERATOR			WEIGHT (kg)	CONTROL
		min	max	width	depth (mm)	height		
STN-W-90-C1/3	9,0	8	20	560	375	485	23	Stainless Touch STN-W 2.0
STN-W-120-3	12,0	15	28	560	375	485	23	Stainless Touch STN-W 2.0
STN-W-150-3	15,0	22	40	560	375	485	23	Stainless Touch STN-W 2.0



STN-W Steam Generator

INCLUDED IN THE PACKAGE



Autodrain
(Included for
STN models only)



Aroma, Fan and
Dimmer Functions
(Optional features for
STN models)



Temperature sensor
with wire and
sensor holder



STN-SHEAD



7,5m RJ12 Cable
7,5m RJ10 Cable




OPTIONAL ITEMS



Aroma Pump




Demand Button



Steam 2.0 (STP-INFACE-V2)

- Thick stainless steel casing
- LED digital display
- Optional features: light dimmer, scent pump and fan
- 7.5 meters RJ12 cable with connectors included



Steam Stainless Touch (STP-INFACE-SST)

- Thick stainless steel casing
- Animated buttons
- Compatible for automated household component
- Emergency alarm provision
- Standby mode to keep water warm until next session
- Displays error code
- Autodrain function
- Key lock
- Easy mode available
- Date and time setup
- Kilowatt usage counter
- Decalcifying function
- Heating Element fail detect
- Blackout memory
- Celsius or Fahrenheit temperature unit
- Autolight
- Autofan
- LCD contrast adjustment
- Optional scent pump, light dimmer and fan
- Temperature sensor with wire
- Optional interface holder
- 7.5 meters RJ12 cable with connectors included

SAWO sauna solutions

distributed by **HUUM** for professional partners
across Europe.

Sales enquiries: sawo@huum.eu



♥ OF SAUNA